

Evidence Review

IMPROVING THE MENTAL HEALTH OF PARENTS AND CAREGIVERS AS A STRATEGY TO PREVENT FAMILY VIOLENCE: WHAT DOES THE EVIDENCE SUGGEST?

February 2025

INTRODUCTION

Common mental health problems, including depression, anxiety, and trauma-related conditions, are extremely prevalent globally, ¹ with especially poor access to care and treatment in the Global South. ² In an <u>earlier evidence review</u>, the Prevention Collaborative described how common mental health problems can increase the risk of both perpetrating and experiencing intimate partner violence (IPV)³ and why efforts to alleviate common mental health problems can be an effective IPV prevention strategy. ⁴ This complementary review synthesises how common mental health problems among parents and caregivers ⁵ can influence their risk of perpetrating child maltreatment, ⁶ which includes violent punishment; physical, sexual, and emotional violence; and the neglect of infants, children, and adolescents.

While there is a wealth of evidence on the mental health consequences of experiencing abuse in childhood,⁷ less attention has been paid to how strengthening parents' and caregivers' mental health can help prevent child maltreatment. This review also considers the intersections of IPV and child maltreatment, including how mothers' use of violence against their children needs to be understood within the context of their experiences of IPV. Where possible, the review disaggregates the impacts of poor mental health among female versus male caregivers. This review also considers how evidence-based strategies to prevent violence against children (VAC),⁸ including child maltreatment, can improve the mental health of parents and caregivers, and offers recommendations to leverage such impacts.

The review coincides with an era of increased attention to the mental health needs of parents and caregivers, especially during and after the global COVID-19 pandemic. Indeed, the US surgeon general recently issued an advisory that highlights the high and prolonged levels of stress that US parents have experienced over the last decade compared to other adults.⁹



Who is the target audience for this Evidence Review?

This evidence review aims to be of interest to both VAC prevention and mental health practitioners who work with parents and caregivers. It is also relevant to violence prevention and mental health researchers.

CONTENTS



- 1. Introduction
- 2. Pathways between parental and caregiver mental health and child maltreatment

Relationship quality and conflict

Self-esteem and resilience

Self-regulation and emotional management

3. Factors underlying parental mental health and child maltreatment

Childhood trauma and adversities

Gender norms and inequalities

Intimate partner violence

Poverty and food insecurity

Conflict and environmental insecurities

Social support

4. Strategies to strengthen the mental health of parents and caregivers

Parenting and caregiver support programmes to prevent VAC (and in some cases also IPV)

Response programmes for parents at risk of or experiencing poor mental health

Socioeconomic strengthening strategies

5. Implications


PATHWAYS BETWEEN PARENTAL AND CAREGIVER MENTAL HEALTH AND CHILD MALTREATMENT

There is a wealth of evidence around how parents' poor mental health can influence parenting practices, including by elevating the risk of child maltreatment. High levels of stress and depression among parents are a consistent risk factor for more hostile and harsh parenting practices. A variety of studies, including longitudinal studies, have shown parental depression (for both fathers and mothers) is a key risk factor for child maltreatment. Additional studies have documented how poor maternal mental health can be a risk factor for neglect or aggression towards children.

Parental depression is more likely to be associated with child maltreatment when accompanied by other risk factors that exacerbate parental stress and anxiety, including household poverty, food insecurity, marital conflict, parents' alcohol abuse, IPV, and parents' own experience of maltreatment or violence as children. ¹⁴ For instance, one study using structured clinical interviews found that depressed mothers who abused substances were at a higher risk of maltreating their children compared to mothers who were either only depressed or only abusing substances. ¹⁵ While parents' and caregivers' poor mental health is only one of many factors that can influence child maltreatment, it is an important pathway to understand. By addressing the mental health needs of parents and caregivers, prevention programmes can better support all parents and caregivers to not use violence against their children.

The following conceptual framework¹⁶ identifies pathways between parents' and caregivers' poor mental health and the maltreatment of their children (see Figure 1). This framework also identifies underlying factors that can generate risks for poor mental health among parents and caregivers, and potentially influence the likelihood of child maltreatment.

Figure 1. Pathways between common mental health problems among parents and caregivers and child maltreatment



^{*}Common mental health problems include: depression, anxiety, trauma-related symptoms and post-traumatic stress disorder.

Relationship Quality and Conflict

Parents' and caregivers' poor mental health can erode relationship quality and attachment between parents and children, which can increase the risk of child maltreatment. The For instance, parental depression has been associated with more hostile, negative, and withdrawn parenting, as well as less warmth. Maternal depression has been shown to interfere with attachment between mothers and their children and to undermine positive parent-child communication and connection. 20

Importantly, women carrying unresolved trauma after experiencing IPV have reported difficulties forming healthy and nurturing bonds with their children. Stress and other mental health challenges related to mothers' experiences of IPV can manifest as reduced patience and sensitivity, as well as less effective communication and engagement. Research has shown that fathers who perpetrate IPV are more likely to have difficulties with depression, hostility, and lacking warmth and emotional connection with their children. Alternatively, higher-quality relationships between parents and their children can lead to parents having better psychological well-being.

Self-Esteem and Resilience

Common mental health problems can undermine people's self-worth and lead to the erosion of self-esteem, self-efficacy, and resilience.²⁵ The pathway from parental mental health problems to child maltreatment has been attributed to a low sense of personal mastery²⁶ and to feelings of despair, a sense of hopelessness, and poor self-esteem.²⁷

Individuals with depression may have less self-efficacy²⁸ and attention biased towards more negative information,²⁹ which has been shown to contribute to high levels of parenting stress and increase the risk of child maltreatment.³⁰ Mothers' poor mental health has been associated with low perceived parental self-efficacy³¹ and low maternal confidence.³² Alternatively, building perceived parental self-efficacy can positively influence healthy parenting practices.³³

Research has shown the emotional toll of mothers experiencing IPV, which can manifest as depression, can reduce their sense of self-efficacy³⁴ and confidence in their parenting capabilities.³⁵ Yet it is important to emphasise that mothers do not necessarily experience diminished parenting capacity because of experiencing IPV.³⁶ Motherhood can constitute an identity that fosters resilience, agency, and a sense of purpose related to parenting despite IPV.³⁷ For instance, a qualitative study of the mental health needs of domestic violence survivors in Afghanistan found that a common coping strategy used among mothers was spending time with and focusing on their children as a source of pleasure and accomplishment and trying to find contentment in their children's happiness.³⁸

Self-Regulation and Emotional Management

Common mental health problems can also influence the risk of child maltreatment by affecting an individual's ability to manage their emotions and self-regulate. ³⁹ Difficulties with parental emotional regulation have been associated with common mental health problems, IPV, and poor parenting skills. ⁴⁰ Anger, hostility, irritability, and agitation —common symptoms related to poor mental health — are risk factors for child maltreatment. For instance, depression in fathers is more likely to be expressed as externalising behaviours and has been linked to higher levels of aggression, irritability, and destructive behaviours with their children. ⁴¹ Depression can negatively affect stress reactivity and emotional regulation, which has been shown to interfere with mothers' ability to positively engage with and sensitively respond to children's emotional needs. ⁴²

FACTORS UNDERLYING PARENTAL MENTAL HEALTH AND CHILD MALTREATMENT

A range of risk and protective factors influence the likelihood of poor parental mental health as well as child maltreatment.

Childhood Trauma and Adversities

There is strong evidence on the associations between adverse childhood experiences (ACEs) — a set of stressors that includes poor caregiver mental health, physical and emotional neglect, and family members' use of alcohol or drugs — and poor mental health throughout an individual's life course. ⁴³ Numerous studies have found a parental history of childhood maltreatment significantly increases an individual's risk for major depression, alcohol abuse, and IPV. ⁴⁴

These outcomes, in turn, can increase the risk for the subsequent maltreatment of children. For example, one study found that among mothers who had experienced childhood sexual abuse, those who had high levels of depression were at greater risk of physically abusing their child. Another study similarly found that parental depression alone did not predict the use of child maltreatment, but that both having a history of childhood maltreatment and experiencing depression as a parent was a stronger predictor of their use of child maltreatment. Additionally, a study in China found that symptoms of depression among parents who had a history of maltreatment as children were significant risk factors for parents' psychological and physical abuse of children during the COVID-19 pandemic.

Gender Norms and Inequalities

Globally, women are more likely than men to experience common mental health problems, including depression and anxiety,⁴⁹ with women living in low- and middle-income countries (LMICs) especially vulnerable.⁵⁰ A study using data from 122 countries found that higher rates of gender inequality were significantly correlated with gender disparities in depressive disorders, suggesting that women's mental health is strongly impacted by societal inequalities.⁵¹

Mothers are particularly vulnerable to poor mental health, with rates of depression and perinatal mental disorders heightened in the postnatal period.⁵² Indeed, early infancy represents a significant transition, which can generate a heightened period of stress and mental health challenges for parents and caregivers.⁵³ This is especially the case among mothers, including due to common perinatal mental disorders (CPMDs; see Box A).

In addition, most of the unpaid caregiving and domestic work continues to be done by women. On average globally, 19 percent of men's total non-leisure time is spent on unpaid work compared to 55 percent for women — a reality that is highly gendered. 54 More equal sharing of household and childcare responsibilities among parents can

reduce stress, especially for mothers.⁵⁵ Indeed, a growing body of empirical evidence, including from LMICs, has documented positive associations between fathers' involvement in childcare and maternal mental health.⁵⁶



BOX A: COMMON PERINATAL MENTAL DISORDERS

Common perinatal mental disorders (CPMDs), including prenatal and postpartum depression, anxiety, and somatic disorders, are the leading complications of pregnancy and childbirth globally.⁵⁷ Women in LMICs are at greater risk for CPMDs if exposed to multiple risk factors, including negative experiences with the health system, obstetric trauma, perinatal loss, and poor social support. Risks for CPMDs are especially pronounced in humanitarian settings, and women experiencing spousal discord, IPV, and/or inequitable intimate relationships are also more likely to experience CPMDs.⁵⁸

Alternatively, positive spousal relationships can reduce the risk of CPMDs, as noted in a study from Vietnam where women who positively assessed their partners' kindness, sensitivity, trust, and affection had reduced CPMDs.⁵⁹ Fathers being highly involved in childcare can also reduce risk: for instance, a study in Pakistan found that fathers having a high level of involvement with infants at 3 months of age led to a 41 percent decrease in depression among mothers at one year postpartum.⁶⁰ Another study in South Africa found that fathers' involvement during pregnancy and after the birth of a child was associated with lower maternal postpartum depression scores when their child was 6 weeks old.⁶¹

Importantly, however, there is growing awareness that fathers can also experience perinatal depression and anxiety, with rates increasing when their partners are also experiencing CPMDs. ⁶² Gender norms and pressures for fathers to be the sole financial provider within families have also been identified as major causes of fathers' parenting stress and depressive symptoms. ⁶³ Indeed, for both mothers and fathers, cultural expectations, societal norms, and pressure to meet perceived parenting standards can also contribute to parental stress and anxiety. ⁶⁴

Intimate Partner Violence

Mothers' mental health and use of violence against their children need to be considered within the wider lens of gender inequalities and their higher risk of experiencing gender-based violence, including IPV.⁶⁵ Marital conflict and experiences of IPV have been shown to strongly influence maternal depression,⁶⁶ and mothers' experiences of IPV can negatively influence their mental health by generating constant worry, anxiety, distress, guilt around parenting,⁶⁷ and depression.⁶⁸ For example, one study found that maternal depression was significantly associated with harsh and punitive parenting only when the mother was also experiencing IPV.⁶⁹ A longitudinal study of 705 participants similarly found that IPV's effects on harsh parenting were mediated through maternal

depression.⁷⁰ A study in Poland suggested that mothers previously experiencing IPV was a risk factor for their use of harsh parenting only when other risk factors for IPV and child maltreatment were present, including mental distress.⁷¹ Although much less explored, men's perpetration of IPV has also been associated with harsh parenting.⁷²

Poverty and Food Insecurity

Poverty and food insecurity can exacerbate stress, conflict, and negative parenting practices. The Economic hardships can lead to psychological distress, relationship problems, and disrupted parenting, which in turn can increase the likelihood of child maltreatment. Financial stress related to childcare costs, health and education expenses, and employment and income insecurity has been shown to be an important contributor to parental stress.

Parents living in poverty often worry about fulfilling their children's basic needs, and the resulting stress can negatively affect their mental health and parenting capabilities. For example, a review of 108 studies in the US with 250,553 parents found a significant association between food insecurity and symptoms of parental depression, anxiety, and stress. ⁷⁶ Another study in Iran found that a higher level of food insecurity was correlated with extreme degrees of stress, anxiety, and depression among mothers. ⁷⁷ Additionally, an analysis of 46 observational studies found that socioeconomic factors influenced the association between maternal mental illness and negative parenting practices, with the association tending to be stronger for mothers from lower socioeconomic backgrounds and low levels of formal education; this study also found that low access to income and education had significant negative associations with depression severity among mothers of young children. ⁷⁸

Conversely, strengthening parents' and caregivers' economic situation can positively affect their mental health. A randomised controlled trial of a financial literacy programme incorporated into a parenting programme in South Africa demonstrated significant increases in self-reported financial self-efficacy and past-month saving as well as reductions in borrowing and in financial and emotional distress among recipients. The authors note that decreases in depression levels could prompt a more optimistic outlook on the future and help reduce impulsive spending and overborrowing, which is indicative of how strengthening parental mental health could maximise the positive impacts of an economic intervention.

BOX B: INTERSECTIONALITY OF PARENTS AND PARENTING

The intersectional identities of parents and caregivers — including race, class, ethnicity, gender and sexual identity, geography, and disability — can have important implications in terms of their risk factors for poor mental health. For instance, mental health problems among mothers during pregnancy and following childbirth are roughly twice as common in LMICs as in high-income countries.⁸¹ Stressors related to child caregiving can

disproportionately burden parents and caregivers who experience economic, social, political, and cultural marginalisation.⁸²

Additionally, a number of studies suggest that adolescent mothers experience significantly higher rates of depression, both prenatally and postpartum, than adult mothers and their nonpregnant peers. Some evidence indicates a heightened risk of psychiatric vulnerability among mothers living with HIV, especially in sub-Saharan Africa, and LGBTQ-parent families are at higher risk of discrimination and societal stigma that can exacerbate their stress and mental health challenges. Parents of children with a disability — particularly mothers — have been shown to report poorer mental health than mothers of typically developing children.

Conflict and Environmental Insecurities

Exposure to conflict, post-conflict, and high-violence settings, as well as stress from displacement, creates multiple forms of trauma and increases the risk of severe mental health problems. Men are more likely to be involved in combat and war-related violence, especially as combatants, which has been shown to have long-lasting negative mental health impacts.⁸⁷ There is also ample evidence about the detrimental mental health effects of conflict-related sexual violence, which predominantly affects women and girls but can also affect men and boys.⁸⁸

Such environmental insecurities can influence parents' and caregivers' mental health and the risk of child maltreatment. For instance, a systematic review of 38 studies among displaced and non-displaced parents and children living together in war zones found that wartime parenting practices showed less warmth (e.g., decreased praise or playing with children) and greater hostility (e.g., increased verbal or physical violence). A growing body of research has demonstrated how parenting amidst traumatic events, including conflict and displacement, can disrupt parental emotion regulation and undermine effective parenting. Additionally, the devastation and anxieties related to the COVID-19 pandemic — including millions of deaths, economic strife, and curbs on social interaction — have been linked to increased rates of IPV and VAC in the home, compounded trauma, and poor mental health.

Social Support

A lack of social support (both emotional and practical) and social isolation for parents and caregivers has been shown to negatively influence their mental health. ⁹² For instance, low levels of practical support during pregnancy and the first year after childbirth can be a risk factor for poor maternal mental health. ⁹³ Single parents are particularly vulnerable to chronic stress and depression due to sole caregiving responsibilities and a lack of support, which can negatively impact their mental health and well-being. ⁹⁴ Additionally, mothers migrating to higher-income countries are at increased risk of poor maternal mental health, including postpartum depression, due to social isolation and loneliness, particularly where there are language difficulties. ⁹⁵

Conversely, social support and positive family engagement, including support with caregiving responsibilities, have been shown to benefit parents' mental health by reducing stress and providing emotional support. Research with at-risk populations, including refugees, suggests that social support may promote positive mental health and parenting practices even amidst adversity. For instance, a study with Syrian refugee mothers in Lebanon found that mothers' perceived social support (particularly emotional support) was associated with psychological and parenting resilience. In addition, support from one's co-parent (where relevant) can be a protective factor for the other parent's mental health. For example, one study in Kenya found that fathers' support for their partners was associated with lower maternal depressive symptoms among caregivers with children under 2 years of age.

STRATEGIES TO STRENGTHEN THE MENTAL HEALTH OF PARENTS AND CAREGIVERS

The evidence suggests that the relationship between common mental health problems among parents and caregivers and child maltreatment is complex, and it needs to be considered in the context of the wider environment and other risk factors, ¹⁰¹ especially IPV. The potential pathways between the poor mental health of parents and caregivers and their use of child maltreatment also suggest that efforts to improve the mental health and well-being of parents and caregivers should be considered as part of a comprehensive violence prevention strategy. In this section, we consider how VAC prevention programmes, and programmes targeting parents at risk of poor mental health, influence parents' and caregivers' mental health, as well as opportunities to strengthen these programmes' ability to address risk factors and meet the mental health needs of parents and caregivers.

Parenting and Caregiver Support Programmes to Prevent VAC (and in some cases also IPV)

Parenting and caregiver programmes typically aim to strengthen parent-child relationships, build parents' knowledge of child development and responsive caregiving, and support parents in managing children's behaviour through effective, ageappropriate, and positive discipline strategies. ¹⁰² They are a common and evidence-based strategy to prevent VAC, including child maltreatment. ¹⁰³ They are also a promising strategy to address IPV, especially gender-transformative parenting programmes, which aim to challenge underlying power dynamics that drive violence in the home. ¹⁰⁴

There is a wealth of evidence demonstrating these programmes' positive effects on parental mental health, ¹⁰⁵ including parental depression and stress. ¹⁰⁶ For instance, the Sinovuyo Teen programme in South Africa is a 14-week version of the Parenting for Lifelong Health programme for at-risk families with 10- to 18-year-old adolescents. The programme focuses on improving caregiver adolescent relationships through time together, mutual praise, emotional and conflict management, and problem-solving. An evaluation of the programme found reductions in abuse reported by youth

and caregivers, caregiver and adolescent substance use, and parenting stress and depression, as well as improvements in parenting practices and social support. 107

Some parenting interventions explicitly aim to both teach parenting behaviours and improve parental mental health (particularly depression), recognising that this integrated approach is more likely to improve child and parent outcomes. ¹⁰⁸ For instance, some parenting programmes teach evidence-based mental health strategies, such as positive cognitive reframing, which is a technique used to shift one's mindset to look at a situation, person, or relationship from a different perspective; ¹⁰⁹ cognitive reframing by parents can also help to reduce harsh parenting. ¹¹⁰ As another example, the MaPa curriculum (an adaptation of the Parenting for Lifelong Health parenting programme in the Philippines) incorporated mindfulness stress reduction activities for caregivers. MaPa female caregivers reported higher efficacy and confidence when dealing with spouses and other adult caregivers in the household, as well as that the mindfulness-based practices helped them regulate their anger towards their children and spouses. ¹¹¹ Other parenting programmes include content on caregiver emotional regulation, ¹¹² emotional literacy, and stress management to improve parents' mental health. ¹¹³

BOX C: PROGRAMME EXAMPLE - SHARING STORIES

Sharing Stories is an example of a digitally delivered parenting programme facilitated through WhatsApp groups and informed by Thinking Healthy, a World Health Organization-developed approach to improving mental health based on cognitive behavioural techniques. Over six weeks, parents receive content on how to engage children aged 9 to 32 months through reading digital books, as well as messages about the importance of taking care of themselves, strategies to cope with stress, and ways to access support. A randomised controlled trial in Zambia and Tanzania found that the programme led to higher rates of responsive caregiving and significantly lowered rates of depression and anxiety symptoms among parents and caregivers. ¹¹⁴

However, some assessments of how parenting programmes impact parental mental health suggest that sufficient mental health content and/or complementary approaches are needed to have a meaningful effect. A recent systematic review found that multi-component parenting and parental mental health interventions had no effect on parents' depressive symptoms, 115 which is consistent with other reviews of standalone parenting interventions. 116 The authors hypothesise that the interventions did not include enough content on parental mental health to significantly influence parents' symptoms. Studies reporting on curriculum session topics reveal that most content has focused on caring for children's health and development, with only one or two sessions on helping parents to manage stress and care for their own well-being. The authors also recommend that complementary support for parental

mental health may be warranted. ¹¹⁷ For example, one study in the US found improvements in depressive symptoms and parenting practices among mothers from a low-income background experiencing clinical depression when they received a home-visiting parenting programme combined with cognitive behavioural therapy. ¹¹⁸

While parenting programmes to prevent VAC have the potential to mitigate the negative mental health impacts for parents and children co-exposed to war and displacement, a more comprehensive approach may also be required in such settings to impact parental mental health. For instance, a review of 14 experimental or quasi-experimental studies of parenting interventions among forcibly displaced populations (among Somali, South Sudanese, Burmese, Palestinian, Lebanese, and Bosnian groups) found evidence that these interventions were effective in improving positive parenting and stress management. 119 However, few studies have demonstrated self-reported improvements in parental mental health, with the review authors hypothesising that the challenging context of forced migration, ongoing adversity, and trauma may limit these programmes' mental health benefits. 120 By analysing programmes that had the strongest effect on parental mental health, 121 the authors note that parenting programmes focused primarily on behavioural skills may require additional components on emotional regulation and stress reduction. 122 Some parenting programmes, importantly, include a stronger focus on identifying and understanding trauma when working with parents exposed to war and displacement, such as the trauma-informed adaptation of the Parenting for Lifelong Health programme currently being piloted with families displaced by armed conflict on the Thailand and Myanmar border.

BOX D: PROGRAMME EXAMPLE - HOPE GROUPS

Hope Groups was a 10-session psychosocial and parenting support group designed to improve mental health, strengthen positive parenting, and prevent VAC for war-affected Ukrainian caregivers. ¹²³ The sessions focused on how to develop new coping approaches, strengthen existing ones, and reduce stress in order to address wartime challenges faced by female caregivers. The sessions were delivered weekly or biweekly through in-person meetings, virtually, or a hybrid format, and they were led by mental health professionals or lay-trained facilitators.

A pre-post evaluation of Hope Groups demonstrated a 60 percent reduction in the frequency of participants' depressive symptoms, an over 50 percent increase in hopefulness and coping with grief, and a nearly 80 percent improvement in self-care. At endline, emotional and physical VAC had dropped by 57.7 percent and 64.0 percent, respectively. The evaluation also demonstrated significant improvements in parenting practices and child health outcomes, including reinforcing positive behaviour, supporting child development, and using nonviolent discipline. The findings suggest that hybrid and virtual platforms can be used to deliver effective parenting interventions in conflict zones. ¹²⁴

Many VAC prevention parenting programmes primarily reach mothers and female caregivers. Yet, fathers and male caregivers need to be included in these interventions as a comprehensive VAC and IPV prevention strategy in order to strengthen parental relationships and to not reinforce the role of only mothers as primary caregivers. ¹²⁵ Fathers included in parenting programmes report numerous benefits, including closer relationships with their children and improved mental health. ¹²⁶ As noted previously, programmes that encourage fathers' active involvement in caregiving can also improve maternal mental health. ¹²⁷ Parenting programmes that strengthen partner communication and relationships can also reduce parents' stress. ¹²⁸

Given the mental health consequences of IPV for parents, parenting programmes can promote caregiver mental health by working with fathers and mothers to holistically prevent IPV. For instance, the Bandebereho parenting programme in Rwanda offered integrated content to male and female caregivers that addressed both IPV and VAC. A six-year follow-up reported sustained IPV and VAC reductions and improvements in male and female caregivers' mental health, men's alcohol use, household decision-making, and men's engagement in childcare. 129



BOX E: PROGRAMME EXAMPLE - MOMENTS THAT MATTER


Moments that Matter is a community-based programme delivered in Kenya to primary caregivers of children under age 3 through monthly caregiver support, learning groups, and home visits. ¹³⁰ An evaluation of this programme found that greater father involvement in household chores and childcare activities had a small but protective association in reducing maternal depressive symptoms. This was especially the case during the earliest months of parenthood, suggesting an important window of intervention.

VAC prevention parenting programmes may differentially influence the mental health of mothers versus fathers. For instance, Safe at Home is a family violence prevention programme offered through weekly single-sex discussion groups with coupled men and women and monthly family discussion groups with couples and their children over six to eight months. An evaluation of the programme in the Democratic Republic of Congo demonstrated a significant reduction in mental distress symptoms for mothers but not fathers. ¹³¹ The authors note that women's mental health may have benefited from improved relationship quality, psychosocial support, and positive parenting strategies, as well as violence reduction, and that men's mental health was not as significantly impacted by these same elements. The model may not have addressed gendered determinants of poor mental health, including vulnerabilities around men's provider and protector roles that can be threatened by the lack of self-determination and uncertainty in conflict-affected settings. ¹³²

Parenting programmes vary in delivery modalities but are commonly offered through group-based sessions delivered in-person or digitally. ¹³³ **Group-based programmes can provide opportunities for parents and caregivers to come together, share experiences and ideas, and support each other, which has been shown to strengthen parental well-being. ¹³⁴ Indeed, a recent meta-analysis found that while parents' child behaviour management and levels of stress improved significantly in both group-based and individual programmes, parents' depressive symptoms only improved in group-based programmes. ¹³⁵ The authors hypothesise that cohesion and social support have an important function in a group setting, including in fostering a sense of connectedness and reducing feelings of loneliness or isolation. ¹³⁶ In a group setting, parents can observe and learn from other parents and give and receive feedback, which may increase their self-confidence and sense of control. ¹³⁷ Group processes may motivate parents to experiment with new parenting strategies and/or act as an example to others. In turn, parental stress may be affected through improved child behaviour management. ¹³⁸**

Based on the reviewed evidence, a diagram was developed (see Figure 2) which presents common intervention elements and related pathways regarding how parenting programmes can strengthen parental and caregiver mental health.

Figure 2. Intervention elements and pathways of how parenting programmes can improve parental and caregiver mental health



Response Programmes for Parents at Risk of or Experiencing Poor Mental Health

There is also promising evidence how programmes targeting parents (predominantly mothers) who are experiencing poor mental health, including arts-based and psychosocial support programmes, can strengthen parental and caregiver mental health. For instance, the Acorn programme in Australia is a group-based intervention of 15 sessions to help mothers of children aged 3 and under who are experiencing chronic mental health challenges. The programme integrates dance, reflective diary keeping, and therapeutic letters, and it seeks to enhance parental well-being and the quality of parent-child relationships. An evaluation of the programme found that the majority of Acorn mothers reported that they felt better about themselves as parents and were better able to cope with parenting. Many participating mothers experienced clinically significant improvements in depression and reductions in parental stress. Important pathways to these outcomes were enhancing social connectivity and recognising that they were not alone in their parental struggles. The parental struggles are targeting to the second struggles and the parental struggles.

As another example, the <u>Perinatal Mental Health Project in South Africa</u> provides pregnant women and girls with routine screening for depression and anxiety at a first antenatal visit, and if they show signs or are at risk, the women and girls are offered free psychosocial counselling, follow-up, and case management by trained counsellors for up to one year post-delivery. Analysis of services provided over three years indicated that 58 percent of mothers showed an improved mental health score when compared to the initial mental health screen. The Perinatal Mental Health Project counselling has benefited clients in terms of their mood, coping, general functioning, assertiveness, and resilience to face the challenges of motherhood amidst difficult social and economic conditions.

Therapeutic and family strengthening programmes offer the potential to reduce the mental health effects for mothers who are exposed to IPV.

Interventions to improve the mental health of mothers who are survivors of IPV often aim to strengthen the bond between mothers and their children; offer a source of distraction from the stressors of their situation through engaging in play; and provide them with motivation, purpose, joy, and love. ¹⁴¹ Interventions that offer guidance to enhance the maternal-child relationship and psychotherapeutic group support can significantly improve maternal mental health, parenting, and child development outcomes. ¹⁴² **Indeed, evidence from interventions targeting at-risk parents suggests the need to combine strategies to relieve poor mental health symptoms with strategies to enhance mother-child interaction, build parental confidence and perceived parental self-efficacy, and encourage sensitive parenting and maternal bonding.** ¹⁴³

Socioeconomic Strengthening Strategies

Providing parents with material support can significantly decrease their levels of parenting stress and anxiety. 144 Income subsidies, universal basic income, child tax credits, and social protection programmes have been found to have a positive impact on parental

mental health. ¹⁴⁵ For instance, a study in the US found that when Congress temporarily expanded the Child Tax Credit during the COVID-19 pandemic, the increased income for low-income families reduced levels of depression and anxiety among parents. ¹⁴⁶

Studies have found that when cash-transfer programmes are combined with parenting interventions, they can reduce VAC, ¹⁴⁷ IPV, ¹⁴⁸ or both. ¹⁴⁹ However, there is stronger evidence on cash transfers' impact on IPV across a diversity of LMIC settings compared to VAC. ¹⁵⁰ More research is needed to identify which mechanisms explain these outcomes and how different types of cash transfer and social protection programmes affect parental mental health, IPV, and VAC as both stand-alone interventions and complementary components to parenting programmes.

BOX F: PROGRAMME EXAMPLE - SUGIRA MURYANGO

Sugira Muryango ('Strengthen the Family') engaged male and female caregivers and children in 12 home visit modules, aiming to promote early stimulation, play, hygiene, responsive parenting, and nonviolent interactions among household members in Rwanda. A rigorous evaluation of families receiving this intervention in combination with a government-provided social protection programme found that the programme led to a 70 percent reduction in parents' use of harsh discipline and a 51 percent reduction in IPV among female caregivers. Additionally, the intervention was also associated with significant improvements in anxiety and depression symptoms among caregivers. ¹⁵¹ Authors of the evaluation suggest that integrating the parenting intervention within social protection systems may have resulted in higher participation rates and stronger buy-in to the programme. ¹⁵² Flexible scheduling and messaging about the importance of fathers to ensure a nurturing and safe environment for young children resulted in high module attendance by fathers and a significant increase in fathers' involvement in childcare. ¹⁵³

IMPLICATIONS FOR PRACTICE

Overall, the evidence warrants taking parental and caregiver mental health seriously in the context of violence prevention. Parents' and caregivers' poor mental health can increase the risk of child maltreatment, particularly in combination with additional risk factors, including poverty, history of childhood maltreatment and trauma, marital conflict, and exposure to IPV. The evidence also suggests protective factors can strengthen the mental health of parents and caregivers, ranging from social support to economic strategies to more equitable divisions of caregiving — which, in turn, can mitigate the risk of child maltreatment. Implications for violence prevention programmes emerging from the reviewed evidence include:

- Incoporate comprehensive and evidence-based mental health strategies into parenting programmes: This can include mindfulness and cognitive reframing techniques, stress management, and emotional and mental health literacy. Sufficient mental health content, traumainformed approaches, or complementary mental health strategies (e.g., access to therapy or economic empowerment activities) may be needed to make a meaningful difference for parental mental health, particularly for parents exposed to adversity and ongoing trauma. Targeting parents and caregivers at risk of or experiencing mental health challenges and/or IPV may also be warranted.
- Meet parents and caregivers where they are: Given the various burdens and stressors that can exist for parents and caregivers, programmes should be tailored to accommodate their schedules and needs, ensuring they can actively participate and engage with one another (e.g., by providing childcare). Digitally delivering parenting programmes can offer parents more flexibility in terms of when and how they engage with content and address barriers to attending in-person sessions. 154 Digital delivery is also valuable given the limited capacity of mental health workforces in many LMICs, especially in displacement contexts. However, there is limited evidence and research on how effective digital programmes are at reducing child maltreatment and improving mental health, and more assessments of this are necessary.
- Continue to engage fathers in parenting and caregiving programmes and consider the unique mental health challenges of fathers: This includes through gendertransformative parenting programmes that promote a more equitable division of caregiving among parents and encourage

- critical reflection on traditional parenting roles. 155 The impacts of men's greater involvement in caregiving on the mental health of both mothers and fathers should be assessed.
- Consider intersectionality in the lives of parents and caregivers and how this may influence their mental health needs, including in terms of sexuality/LGBTIQ+ status, disability, refugee status, marital status, and more. It is also important to appreciate the different stressors for parents at different stages of the parenting process (e.g., pronounced mental health risks during the early newborn stage) and tailor programmes accordingly. Further research is needed on how such intersectionalities influence parents' and caregivers' mental health and risks for child maltreatment.
- Raise awareness on mental health needs and common stressors among parents and caregivers: For instance, open community dialogues hosted by trusted messengers (such as faith leaders, educators, and health care professionals) could help raise awareness and reduce the stigma surrounding common mental health challenges for parents and caregivers. It is important to better appreciate how societal and community factors can influence parents' mental health, including how more equitable and fluid social and gender norms can support the mental health of both fathers and mothers.
- Establish referral pathways for additional mental health services and supports, including mental health and psychosocial support (MHPSS): It is important to raise VAC prevention practitioners' awareness on the relationship between parents' and caregivers' mental health and child maltreatment, symptoms of common mental health problems and how to

- respond to mental distress. Frontline staff should be encouraged to understand the limits of their capacity and where and how to refer parents and caregivers to additional support as needed. A key recommendation outlined in a recent brief by the United Nations Children's Fund (UNICEF), Equimundo, and the Prevention Collaborative is to provide time and space for staff and facilitators to consider their own needs and self-care as they interact with parents and identify what parenting programmes can do to support facilitators' mental health and well-being. 156 The World Health Organization and UNICEF 'Caring for the Caregiver' curriculum is an important resource that aims to build facilitators' capacity to support the psychosocial well-being of parents and caregivers. Given the intersections of VAC and IPV, and the ways in which IPV can negatively affect parents' mental health, it is also important for VAC prevention practitioners to be aware of referral processes for parents' experiences of IPV.
- Measure how violence prevention programmes affect the mental health of parents and caregivers and explore the pathways through which these impacts occur: These mental health effects might partially explain why VAC prevention programmes are or are not having as large an impact on reducing child maltreatment. Such research could help to better understand the pathways between parents' and caregivers' poor mental health and child maltreatment. VAC prevention programmes should also measure experiences of IPV among parents, given the potential risk for parents' poor mental health (which, in turn, can be a risk for child maltreatment).
- Conduct more genderdisaggregated research on this topic: The available evidence on parents' and caregivers' mental health and how it can influence child maltreatment and parenting practices is highly gendered by being skewed towards mothers. 157 While this may be related to a justified interest in maternal mental health and CPMDs, it can also reinforce a bias towards mothers' role as primary caregivers. Future research should aim to understand the various factors influencing child maltreatment by both mothers and fathers, including fathers' poor mental health as a risk factor. There is also a gap in this evidence around other types of parenting and families. including non-heterosexual or polygamous households. More evidence is needed regarding the different risk factors and strategies that may be required to address gendered dynamics impacting maternal and paternal mental health among these
- Address the intersections of IPV and child maltreatment: Poor mental health is a shared risk factor underlying both VAC and IPV. 158 Indeed, many factors identified in this review that are associated with child maltreatment or poor parental mental health are also risk factors for IPV. It is important to appreciate how poor mental health can be a mediating factor between mothers' exposure to IPV and child maltreatment. The findings ultimately speak to the importance of holistic programmes that aim to prevent IPV and child maltreatment and strengthen the mental health of parents and caregivers. disrupting intergenerational cycles of violence.

families.

ACKNOWLEDGEMENTS

This evidence review was written by Erin Stern. It was reviewed by Vania Alves, Kate Doyle, Lina Digolo, Jenny Doubt, Anne Eckman, Lori Heise, Tania Ghosh, and Ruti Levtov. It was copyedited by Jill Merriman and designed by Ana Lucia Ñustes.

© Prevention Collaborative, 2025.

REFERENCES

- World Health Organization. 2022. World Mental Health Report: Transforming Mental Health for All. www.who.int/publications/i/item/9789240049338
- Oram, Sian, Helen L. Fisher, Helen Minnis, Soraya Seedat, Sylvia Walby, Kelsey Hegarty, Khadj Rouf et al. "The Lancet Psychiatry Commission on Intimate Partner Violence and Mental Health: Advancing Mental Health Services, Research, and Policy." The Lancet Psychiatry 9, no. 6 (2022): 487–524. doi.org/10.1016/S2215-0366(22)00008-6
- Intimate partner violence refers to 'behaviour within an intimate relationship that causes physical, sexual or psychological harm, including acts of physical aggression, sexual coercion, psychological abuse and controlling behaviours. This definition covers violence by both current and former spouses and partners', according to the World Health Organization. See: World Health Organization. n.d. "Intimate Partner Violence." apps.who.int/violence-info/intimate-partner-violence/
- 4. Stern, Erin. 2023. Pathways between Poor Mental Health and Intimate Partner Violence. Prevention Collaborative. <u>prevention-collaborative.</u> <u>org/wp-content/uploads/2023/02/4_Mental-Health-Evidence-Review-2024-update.pdf</u>
- 5. For the purposes of this evidence review, the term 'caregiver' is used to refer to those with primary parental responsibilities, regardless of whether they are the biological or legal parents of the children in their care; the use of the term 'parents' includes and references both biological parents and primary caregivers of children.
- World Health Organization. 2022. "Violence against Children." who.int/ news-room/fact-sheets/detail/violence-against-children
- Mehta, Divya, Adrian B. Kelly, Kristin R. Laurens, Divna Haslam, Kate E. Williams, Kerryann Walsh, Philip R. A. Baker et al. "Child Maltreatment and Long-Term Physical and Mental Health Outcomes: An Exploration of Biopsychosocial Determinants and Implications for Prevention." Child Psychiatry & Human Development (2021): 421–435. doi.org/10.1007/s10578-021-01258-8
- Violence against children includes all forms of violence against people under 18 years old, whether perpetrated by parents or other caregivers, peers, romantic partners, or strangers.
- 9. Office of the Surgeon General (United States). 2024. "Parents Under Pressure: The U.S. Surgeon General Advisory on the Mental Health & Well-Being of Parents." www.hhs.gov/surgeongeneral/priorities/parents/index.html
- Mustillo, Sarah A., Shannon Dorsey, Kate Conover, and Barbara J. Burns. "Parental Depression and Child Outcomes: The Mediating Effects of Abuse and Neglect." Journal of Marriage and Family 73, no. 1 (2011): 164–180. doi.org/10.1111/j.1741-3737.2010.00796.x; David, Vered Ben. "Associations between Parental Mental Health and Child Maltreatment: The Importance of Family Characteristics." Social Sciences 10, no. 6 (2021): 190. doi.org/10.3390/socsci10060190
- Meinck, Franziska, Lucie Dale Cluver, Frederick Mark Orkin, Caroline Kuo, Amogh Dhar Sharma, Imca Sifra Hensels, and Lorraine Sherr.

 "Pathways from Family Disadvantage via Abusive Parenting and Caregiver Mental Health to Adolescent Health Risks in South Africa." Journal of Adolescent Health 60, no. 1 (2017): 57–64. doi.org/10.1016/j. jadohealth.2016.08.016; Silk, Jennifer S., Melissa L. Ziegler, Diana J. Whalen, Ronald E. Dahl, Neal D. Ryan, Laura J. Dietz, Boris Birmaher, David A. Axelson, and Douglas E. Williamson. "Expressed Emotion in Mothers of Currently Depressed, Remitted, High-Risk, and Low-Risk Youth: Links to Child Depression Status and Longitudinal Course."

 Journal of Clinical Child & Adolescent Psychology 38, no. 1 (2009): 36–47. doi.org/10.1080/15374410802575339; Lovejoy, M. Christine, Patricia A. Graczyk, Elizabeth O'Hare, and George Neuman. "Maternal Depression and Parenting Behavior: A Meta-Analytic Review." Clinical Psychology Review 20, no. 5 (2000): 561–592. doi.org/10.1016/S0272-7358/9800100.7
- 12. Mustillo et al. 2011; David 2021
- Murphy, Debra A., William D. Marelich, Lisa Armistead, Diane M. Herbeck, and Diana L. Payne. "Anxiety/Stress among Mothers Living with HIV: Effects on Parenting Skills and Child Outcomes." AIDS Care 22, no. 12 (2010): 1449–1458. doi.org/10.1080/09540121.2010.48 7085; Marcal, Katherine E. "Pathways to Adolescent Emotional and Behavioral Problems: An Examination of Maternal Depression and Harsh Parenting." Child Abuse & Neglect 113 (2021): 104917. doi.org/10.1016/j.chiabu.2020.104917
- Sim, Leslie J., and Mary Jane England (Eds.). "Chapter 4: Associations between Depression in Parents and Parenting, Child Health, and Child Psychological Functioning." In Depression in Parents, Parenting, and Children: Opportunities to Improve Identification, Treatment, and Prevention. Washington, DC: National Academies Press, 2009; Barrett, Simon, Cassey Muir, Samantha Burns, Nicholas Adjei, Julia Forman, Simon Hackett, Raeena Hirve et al. "Interventions to Reduce Parental Substance Use, Domestic Violence and Mental Health Problems, and

- Their Impacts upon Children's Well-Being: A Systematic Review of Reviews and Evidence Mapping." Trauma, Violence, & Abuse 25, no. 1 (2024): 393–412, doi.org/10.1177/15248380231153867
- 15. Cohen, Lisa R., Denise A. Hien, and Sarai Batchelder. "The Impact of Cumulative Maternal Trauma and Diagnosis on Parenting Behavior." Child Maltreatment 13, no. 1 (2008): 27–38. doi. org/10.1177/1077559507310045
- This conceptual framework was adapted from the conceptual framework developed for the Prevention Collaborative's earlier evidence review to illustrate the pathways between poor mental health and IPV risk. See: Stern 2023.
- 17. Sim and England 2009
- Lovejoy et al. 2000; Stein, Alan, L. -E. Malmberg, Kathy Sylva, Jacqueline Barnes, Penelope Leach, and FCCC team. "The Influence of Maternal Depression, Caregiving, and Socioeconomic Status in the Post-Natal Year on Children's Language Development." Child: Care, Health and Development 34, no. 5 (2008): 603–612. doi.org/10.1111/j.1365-2214.2008.00837.x
- Letourneau, Nicole L., Cindy-Lee Dennis, Nela Cosic, and Jordana Linder. "The Effect of Perinatal Depression Treatment for Mothers on Parenting and Child Development: A Systematic Review." Depression and Anxiety 34, no. 10 (2017): 928–966. doi.org/10.1002/da.22687
- Jewkes, Rachel, and Pinky Mahlangu. "Intimate Partner Violence Negatively Affects Parenting." The Lancet Global Health 11, no. 9 (2023): e1321–e1322. doi.org/10.1016/S2214-109X(23)00363-7; Coll, Carolina V. N., Aluisio J. D. Barros, Alan Stein, Karen Devries, Romina Buffarini, Lynne Murray, Adriane Arteche, Tiago N. Munhoz, Mariângela F. Silveira, and Joseph Murray. "Intimate Partner Violence Victimisation and Its Association with Maternal Parenting (the 2015 Pelotas [Brazil] Birth Cohort): A Prospective Cohort Study." The Lancet Global Health 11, no. 9 (2023): e1393–e1401. doi.org/10.1016/S2214-109X(23)00282-6
- 21. Jewkes and Mahlangu 2023; Levendosky et al. 2003
- Levendosky et al. 2003; Margolin, Gayla, and Elana B. Gordis. "Co-Occurrence between Marital Aggression and Parents' Child Abuse Potential: The Impact of Cumulative Stress." Violence and Victims 18, no. 3 (2003): 243–258. doi.org/10.1891/vivi.2003.18.3.243; Chiesa, Antonia E., Leigh Kallechey, Nicole Harlaar, C. Rashaan Ford, Edward F. Garrido, William R. Betts, and Sabine Maguire. "Intimate Partner Violence Victimization and Parenting: A Systematic Review." Child Abuse & Neglect 80 (2018): 285–300. doi.org/10.1016/j.chiabu.2018.03.028
- Thompson-Walsh, Catherine, Katreena L. Scott, Victoria Lishak, and Amanda Dyson. "How Domestically Violent Fathers Impact Children's Social-Emotional Development: Fathers' Psychological Functioning, Parenting, and Coparenting." Child Abuse & Neglect 112 (2021): 104866. doi.org/10.1016/j.chiabu.2020.104866
- Nomaguchi, Kei M. "Parenthood and Psychological Well-Being: Clarifying the Role of Child Age and Parent–Child Relationship Quality." Social Science Research 41, no. 2 (2012): 489–498. doi.org/10.1016/j. ssresearch.2011.08.001
- 25. Stern 2023
- Slack, Kristen Shook, Lawrence M. Berger, Kimberly DuMont, Mi-Youn Yang, Bomi Kim, Susan Ehrhard-Dietzel, and Jane L. Holl. "Risk and Protective Factors for Child Neglect during Early Childhood: A Cross-Study Comparison." Children and Youth Services Review 33, no. 8 (2011): 1354–1363. doi.org/10.1016/j.childyouth.2011.04.024
- 7. David 2021
- Bentley, Gabriella, and Osnat Zamir. "The Role of Maternal Self-Efficacy in the Link between Childhood Maltreatment and Maternal Stress during Transition to Motherhood." Journal of Interpersonal Violence 37, no. 21– 22 (2022): NP19576-NP19598. doi.org/10.1177/08862605211042871
- Beevers, Christopher G., Peter C. Clasen, Philip M. Enock, and David M. Schnyer. "Attention Bias Modification for Major Depressive Disorder: Effects on Attention Bias, Resting State Connectivity, and Symptom Change." Journal of Abnormal Psychology 124, no. 3 (2015): 463–475. doi.org/10.1037/abn0000049
- Chen, Chen. "The Relationship between Parental Depression and Child Internalizing and Externalizing Problems: The Roles of Parenting Stress and Child Maltreatment." Frontiers in Public Health 11 (2023): 962951. doi.org/10.3389/fpubh.2023.962951; Crouch, Elizabeth, Elizabeth Radcliff, Monique Brown, and Peiyin Hung. "Exploring the Association between Parenting Stress and a Child's Exposure to Adverse Childhood Experiences (ACEs)." Children and Youth Services Review 102 (2019): 186–192. doi.org/10.1016/j.childyouth.2019.05.019
- Aylward, Paul, and Anne Sved Williams. "Holistic Community-Based Group Parenting Programs for Mothers with Maternal Mental Health Issues Help Address a Growing Public Health Need for a Diversity of Vulnerable Mothers, Children and Families: Findings from an Action Research Study." Frontiers in Global Women's Health 3 (2023): 1039527. doi.org/10.3389/fgwh.2022.1039527

- 32. Arante, Flavia O., Karen M. Tabb, Yang Wang, and Alexandre Faisal-Cury. "The Relationship between Postpartum Depression and Lower Maternal Confidence in Mothers with a History of Depression during Pregnancy." Psychiatric Quarterly 91, no. 1 (2019): 21–30. doi.org/10.1007/s11126-019-09673-w
- Jones, Tracy L., and Ronald J. Prinz. "Potential Roles of Parental Self-Efficacy in Parent and Child Adjustment: A Review." Clinical Psychology Review 25, no. 3 (2005): 341–363. doi.org/10.1016/j.cpr.2004.12.004
- Sousa, Cindy A., Manahil Siddiqi, and Briana Bogue. "What Do We Know after Decades of Research about Parenting and IPV? A Systematic Scoping Review Integrating Findings." Trauma, Violence, & Abuse 23, no. 5 (2022): 1629–1642. doi.org/10.1177/15248380211016019
- Ohiesa et al. 2018; Levendosky, Alytia A., and Sandra A. Graham-Bermann. "Parenting in Battered Women: The Effects of Domestic Violence on Women and Their Children." Journal of Family Violence 16 (2001): 171–192. doi.org/10.1023/A:1011111003373
- yoo, Jeong Ah, and Chien-Chung Huang. "Long-Term Relationships among Domestic Violence, Maternal Mental Health and Parenting, and Preschool Children's Behavior Problems." Families in Society 94, no. 4 (2013): 268–276. doi.org/10.1606/1044-3894.4321
- 37. Sousa, Siddiqi, and Bogue 2022
- 38. Kaul, Anjuli, Lamba Saboor, Ayesha Ahmad, Jenevieve Mannell, Sharli Anne Paphitis, and Delan Devakumar. "What Are the Experiences and Psychosocial Needs of Female Survivors of Domestic Violence in Afghanistan? A Qualitative Interview Study in Three Afghan Provinces." BMJ Open 14, no. 6 (2024): e079615. doi.org/10.1136/bmjopen-2023-079615
- 39. Stern 2023
- 40. Fisher, Jane, Meena Cabral de Mello, Vikram Patel, Atif Rahman, Thach Tran, Sara Holton, and Wendy Holmes. "Prevalence and Determinants of Common Perinatal Mental Disorders in Women in Low- and Lower-Middle-Income Countries: A Systematic Review." Bulletin of the World Health Organization 90 (2012): 139–149.
- 41. Office of the Surgeon General 2024; Fisher, Sheehan D. "Paternal Mental Health: Why Is It Relevant?" American Journal of Lifestyle Medicine, 11, no. 3 (2017): 200–211. doi.org/10.1177/1559827616629895; Low, Jennifer, Amy Bishop, and Pamela D. Pilkington. "The Longitudinal Effects of Paternal Perinatal Depression on Internalizing Symptoms and Externalizing Behavior of Their Children: A Systematic Review and Meta-Analysis." Mental Health & Prevention 26 (2022): 200230. doi. org/10.1016/j.mhp.2022.200230
- 42. Lovejoy et al. 2000; Amole, Marlissa C., Jill M. Cyranowski, Aidan G. C. Wright, and Holly A. Swartz. "Depression Impacts the Physiological Responsiveness of Mother–Daughter Dyads during Social Interaction." Depression and Anxiety 34, no. 2 (2017): 118–126. doi.org/10.1002/da.22595
- Nelson, Charles A., Zulfiqar A. Bhutta, Nadine Burke Harris, Andrea Danese, and Muthanna Samara. "Adversity in Childhood Is Linked to Mental and Physical Health throughout Life." BMJ 371 (2020). doi. org/10.1136/bmj.m3048
- Edwards, Valerie J., George W. Holden, Vincent J. Felitti, and Robert F. Anda. "Relationship between Multiple Forms of Childhood Maltreatment and Adult Mental Health in Community Respondents: Results from the Adverse Childhood Experiences Study." American Journal of Psychiatry 160, no. 8 (2003): 1453–1460. doi.org/10.1176/appi.ajp.160.8.1453; Lang, Ariel J., Murray B. Stein, Colleen M. Kennedy, and David W. Foy. "Adult Psychopathology and Intimate Partner Violence among Survivors of Childhood Maltreatment." Journal of Interpersonal Violence 19, no. 10 (2004): 1102–1118. doi.org/10.1177/0886260504269090; Spatz Widom, Cathy, Kimberly DuMont, and Sally J. Czaja. "A Prospective Investigation of Major Depressive Disorder and Comorbidity in Abused and Neglected Children Grown Up." Archives of General Psychiatry 64, no. 1 (2007): 49–56. doi.org/10.1001/archpsyc.64.1.49
- Collishaw, Stephan, Judy Dunn, Thomas G. O'Connor, and Jean Golding. "Maternal Childhood Abuse and Offspring Adjustment over Time." Development and Psychopathology 19, no. 2 (2007): 367–383. doi.org/10.1017/S0954579407070186; Hazen, Andrea L., Cynthia D. Connelly, Kelly J. Kelleher, Richard P. Barth, and John A. Landsverk. "Female Caregivers' Experiences with Intimate Partner Violence and Behavior Problems in Children Investigated as Victims of Maltreatment." Pediatrics 117, no. 1 (2006): 99–109. doi.org/10.1542/peds.2004-2542; Koverola, Catherine, Mia A. Papas, Steven Pitts, Cristin Murtaugh, Maureen M. Black, and Howard Dubowitz. "Longitudinal Investigation of the Relationship among Maternal Victimization, Depressive Symptoms, Social Support, and Children's Behavior and Development." Journal of Interpersonal Violence 20, no. 12 (2005): 1523–1546. doi. org/10.1177/0886260505280339
- 46. Mapp, Susan C. "The Effects of Sexual Abuse as a Child on the Risk of Mothers Physically Abusing Their Children: A Path Analysis Using

- Systems Theory." Child Abuse & Neglect 30, no. 11 (2006): 1293–1310. doi.org/10.1016/j.chiabu.2006.05.006
- 47. Plant, D. T., E. D. Barker, C. S. Waters, S. Pawlby, and C. M. Pariante. "Intergenerational Transmission of Maltreatment and Psychopathology: The Role of Antenatal Depression." Psychological Medicine 43, no. 3 (2013): 519–528. doi.org/10.1017/S0033291712001298
- Patel, Vikram, Shekhar Saxena, Crick Lund, Graham Thornicroft, Florence Baingana, Paul Bolton, Dan Chisholm et al. "The Lancet Commission on Global Mental Health and Sustainable Development." The Lancet 392, no. 10157 (2018): 1553–1598. doi.org/10.1016/S0140-6736(18)31612-X
- Machisa, Mercilene, and Simukai Shamu. "Associations between Depressive Symptoms, Socio-Economic Factors, Traumatic Exposure and Recent Intimate Partner Violence Experiences among Women in Zimbabwe: A Cross-Sectional Study." BMC Women's Health 22, no. 1 (2022): 248. doi.org/10.1186/s12905-022-01796-w
- Yu, Shoukai. "Uncovering the Hidden Impacts of Inequality on Mental Health: A Global Study." Translational Psychiatry 8, no. 1 (2018): 98. doi. org/10.1038/s41398-018-0148-0
- Hutchens, Bridget F., and Joan Kearney. "Risk Factors for Postpartum Depression: An Umbrella Review." Journal of Midwifery & Women's Health 65, no. 1 (2020): 96–108. doi.org/10.1111/jmwh.13067
- Schiller, Crystal Edler, Samantha Meltzer-Brody, and David R. Rubinow. "The Role of Reproductive Hormones in Postpartum Depression." CNS Spectrums 20, no. 1 (2015): 48–59. doi.org/10.1017/ S1092852914000480
- van der Gaag, Nikki, Taveeshi Gupta, Brian Heilman, Gary Barker, and Wessel van den Berg. 2023. State of the World's Fathers 2023: Centering Care in a World of Crisis. Washington, DC: Equimundo. equimundo.org/ wp-content/uploads/2023/07/State-of-the-Worlds-Fathers-2023.pdf
- van der Gaag et al. 2023
- 56. Wang, Ziyi, Jiaye Liu, Huan Shuai, Zhongxiang Cai, Xia Fu, Yang Liu, Xiong Xiao et al. "Mapping Global Prevalence of Depression among Postpartum Women." Translational Psychiatry 11, no. 1 (2021): 543. doi. org/10.1038/s41398-021-01663-6
- McNab, Shanon, Sean Dryer, Patricia Gomez, Anam Bhatti, Neena Khadka, and Edward Kenyi. (2021). The Silent Burden: Common Perinatal Mental Disorders in Low- and Middle-Income Countries. Washington, DC: USAID MOMENTUM.
- Fisher et al. 2012; Tol, Wietse A., BreeOna Ebrecht, Rebecca Aiyo, Sarah M. Murray, Amanda J. Nguyen, Brandon A. Kohrt, Sheila Ndyanabangi, Stephen Alderman, Seggane Musisi, and Juliet Nakku. "Maternal Mental Health Priorities, Help-Seeking Behaviors, and Resources in Post-Conflict Settings: A Qualitative Study in Eastern Uganda." BMC Psychiatry 18 (2018): 1–15. doi.org/10.1186/s12888-018-1626-x; Bernard, Omotayo, Roger C. Gibson, Affette McCaw-Binns, Jody Reece, Charlene Coore-Desai, Sydonnie Shakespeare-Pellington, and Maureen Samms-Vaughan. "Antenatal Depressive Symptoms in Jamaica Associated with Limited Perceived Partner and Other Social Support: A Cross-Sectional Study." PLOS One 13, no. 3 (2018): e0194338. doi. org/10.1371/journal.pone.0194338
- 59. McNab et al. 2021
- Maselko, Joanna, Ashley K. Hagaman, Lisa M. Bates, Sonia Bhalotra, Pietro Biroli, John A. Gallis, Karen O'Donnell, Siham Sikander, Elizabeth L. Turner, and Atif Rahman. "Father Involvement in the First Year of Life: Associations with Maternal Mental Health and Child Development Outcomes in Rural Pakistan." Social Science & Medicine 237 (2019): 112421. doi.org/10.1016/j.socscimed.2019.112421
- Drysdale, Roisin E., Wiedaad Slemming, Tawanda Makusha, and Linda M. Richter. "Father Involvement, Maternal Depression and Child Nutritional Outcomes in Soweto, South Africa." Maternal & Child Nutrition 17 (2021): e13177. doi.org/10.1111/mcn.13177
- Leach, Liana S., Carmel Poyser, Amanda R. Cooklin, and Rebecca Giallo. "Prevalence and Course of Anxiety Disorders (and Symptom Levels) in Men across the Perinatal Period: A Systematic Review."

 Journal of Affective Disorders 190 (2016): 675–686. doi.org/10.1016/j. jad.2015.09.063; Darwin, Zoe, Jill Domoney, Jane Illes, Florence Bristow, Jasmine Siew, and Vaheshta Sethna. "Assessing the Mental Health of Fathers, Other Co-Parents, and Partners in the Perinatal Period: Mixed Methods Evidence Synthesis." Frontiers in Psychiatry 11 (2021): 585479. doi.org/10.3389/fosyt.2020.585479.
- Jeong, Joshua, Eileen F. Sullivan, and Juliet K. McCann. "Effectiveness of Father-Inclusive Interventions on Maternal, Paternal, Couples, and Early Child Outcomes in Low- and Middle-Income Countries: A Systematic Review." Social Science & Medicine 328 (2023): 115971. doi. org/10.1016/j.socscimed.2023.115971
- Office of the Surgeon General 2024; Ghaleiha, Amin, Carrie Barber, Armon J. Tamatea, and Amy Bird. "Fathers' Help Seeking Behavior and Attitudes during Their Transition to Parenthood." Infant Mental Health

- Journal 43, no. 5 (2022): 756–768. doi.org/10.1002/imhj.22008

 Namy, Sophie, Catherine Carlson, Kathleen O'Hara, Janet Nakuti, Paul

 Bukuluki, Julius Lwanyaaga, Sylvia Namakula et al. "Towards a Feminist

 Understanding of Intersecting Violence against Women and Children
 in the Family." Social Science & Medicine 184 (2017): 40–48. doi.

 org/10.1016/j.socscimed.2017.04.042
- Fisher et al. 2012; Ankerstjerne, Lea Bo Sønderlund, Sweetness Naftal Laizer, Karen Andreasen, Anne Katrine Normann, Chunsen Wu, Ditte Søndergaard Linde, and Vibeke Rasch. "Landscaping the Evidence of Intimate Partner Violence and Postpartum Depression: A Systematic Review." BMJ Open 12, no. 5 (2022): e051426. doi.org/10.1136/ bmjopen-2021-051426
- Kelly, Ursula A. "'I'm a mother first': The Influence of Mothering in the Decision-Making Processes of Battered Immigrant Latino Women." Research in Nursing & Health 32, no. 3 (2009): 286–297. doi. org/10.1002/nur.20327; Wendt, Sarah, Fiona Buchanan, and Nicole Moulding. "Mothering and Domestic Violence: Situating Maternal Protectiveness in Gender." Affilia 30, no. 4 (2015): 533–545. doi. org/10.1177/0886109915570925; Buchanan, Fiona, Charmaine Power, and Fiona Verity. "The Effects of Domestic Violence on the Formation of Relationships between Women and Their Babies: 'I Was Too Busy Protecting My Baby to Attach.'" Journal of Family Violence 29 (2014): 713–724. doi.org/10.1007/s10896-014-9630-5
- Lapierre, Simon. "More Responsibilities, Less Control: Understanding the Challenges and Difficulties Involved in Mothering in the Context of Domestic Violence." British Journal of Social Work 40, no. 5 (2010): 1434–1451. doi.org/10.1093/bjsw/bcp080
- 69. Schuetze, Pamela, and Rina Das Eiden. "The Relationship between Sexual Abuse during Childhood and Parenting Outcomes: Modeling Direct and Indirect Pathways." Child Abuse & Neglect 29, no. 6 (2005): 645–659. doi.org/10.1016/j.chiabu.2004.11.004
- 70. Gustafsson, Hanna C., Martha J. Cox, and Family Life Project Key Investigators. "Relations among Intimate Partner Violence, Maternal Depressive Symptoms, and Maternal Parenting Behaviors." Journal of Marriage and Family 74, no. 5 (2012): 1005–1020. doi.org/10.1111/j.1741-3737.2012.01010.x
- 7. Debowska, Agata, Grzegorz Inglot, Rafal Piasek, Grzegorz Sokol, Beata Horeczy, George K. Hales, and Daniel Boduszek. "Testing the Spillover Effect of Intimate Partner Violence Victimization on Emotionally Abusive and Harsh Parenting Practices: The Application of Propensity Score Matching." Journal of Interpersonal Violence (2024): 08862605241258998. doi.org/10.1177/08862605241258998
- Pearson, Isabelle, Sabrina Page, Cathy Zimmerman, Franziska Meinck, Floriza Gennari, Alessandra Guedes, and Heidi Stoeckl. "The Co-Occurrence of Intimate Partner Violence and Violence against Children: A Systematic Review on Associated Factors in Low- and Middle-Income Countries." Trauma, Violence, & Abuse 24, no. 4 (2023): 2097–2114. doi. 001/10/1177/15248380231083943
- Ho, Laurie Long Kwan, William Ho Cheung Li, Ankie Tan Cheung, Yuanhui Luo, Wei Xia, and Joyce Oi Kwan Chung. "Impact of Poverty on Parent—Child Relationships, Parental Stress, and Parenting Practices." Frontiers in Public Health 10 (2022): 849408. doi.org/10.3389/fpubh.2022.849408
- Skinner, Guy C. M., Paul W. B. Bywaters, and Eilis Kennedy. "A Review of the Relationship between Poverty and Child Abuse and Neglect: Insights from Scoping Reviews, Systematic Reviews and Meta-Analyses." Child Abuse Review 32, no. 2 (2023): e2795. doi.org/10.1002/car.2795; McCann, Juliet K., Silvana Freire, Clariana Vitória Ramos de Oliveira, Michael Ochieng, and Joshua Jeong. "Father Involvement Is a Protective Factor for Maternal Mental Health in Western Kenya." SSM-Mental Health 5 (2024): 100318. doi.org/10.1016/j.ssmmh.2024.100318; Conger, Rand D., and M. Brent Donnellan. "An Interactionalist Perspective on the Socioeconomic Context of Human Development." Annual Review of Psychology 58, no 1 (2007): 175–199.
- 75. Office of the Surgeon General 2024
- 76. Cain, Kathryn S., Stephanie C. Meyer, Elaina Cummer, Kishan K. Patel, Nicholas J. Casacchia, Kimberly Montez, Deepak Palakshappa, and Callie L. Brown. "Association of Food Insecurity with Mental Health Outcomes in Parents and Children." Academic Pediatrics 22, no. 7 (2022): 1105–1114. doi.org/10.1016/j.acap.2022.04.010
- Nikoonia, Maryam, Maryam Khosravi, Sheikh Mohammed Shariful Islam, Seyyed Reza Sobhani, Ali Ebrahimi Dabagh, and Mohammad-Amin Senobari. "Is Household Food Insecurity Related to Mothers' Stress, Anxiety and Depression in Iran?" Preventive Medicine Reports 35 (2023): 102293. doi.org/10.1016/j.pmedr.2023.102293
- 78. Lovejoy et al. 2000
- Chen 2023; Batra, Akansha, Kaitlyn Jackson, and Rita Hamad. "Effects of the 2021 Expanded Child Tax Credit on Adults' Mental Health: A Quasi-Experimental Study." Health Affairs 42, no. 1 (2023): 74–82. doi. org/10.1377/hlthaff.2022.00733

- Steinert, Janina Isabel, Lucie Dale Cluver, Franziska Meinck, Jenny Doubt, and Sebastian Vollmer. "Household Economic Strengthening through Financial and Psychosocial Programming: Evidence from a Field Experiment in South Africa." Journal of Development Economics 134 (2018): 443–466. doi.org/10.1016/j.jdeveco.2018.06.016
- "Welcome to the African Alliance for Maternal Mental Health." African Alliance for Maternal Mental Health. Accessed January 6, 2025, aammh. org/.
- Office of the Surgeon General 2024; Nomaguchi, Kei, and Melissa A. Milkie. "Parenthood and Well-Being: A Decade in Review." Journal of Marriage and Family 82, no. 1 (2020): 198–223. doi.org/10.1111/jomf.12646
- 83. Hodgkinson, Stacy, Lee Beers, Cathy Southammakosane, and Amy Lewin. "Addressing the Mental Health Needs of Pregnant and Parenting Adolescents." Pediatrics 133, no. 1 (2014): 114–122. doi.org/10.1542/ neds 2013-0927
- Silima, Mpho, Nicola Joan Christofides, Hannabeth Franchino-Olsen, Nataly Woollett, and Franziska Meinck. "Qualitative Study Exploring Parenting among Mothers and Female Caregivers Living with the IPV, Mental Health and HIV Syndemic in South Africa." BMJ Open 14, no. 10 (2024): e086478. doi.org/10.1136/bmjopen-2024-086478
- 85. Office of the Surgeon General 2024
- Gilson, K. -M., E. Davis, S. Johnson, J. Gains, D. Reddihough, and K. Williams. "Mental Health Care Needs and Preferences for Mothers of Children with a Disability." Child: Care, Health and Development 44, no. 3 (2018): 384–391. doi.org/10.1111/cch.12556; Singer, George H. S. "Meta-Analysis of Comparative Studies of Depression in Mothers of Children with and without Developmental Disabilities." American Journal on Mental Retardation 111, no. 3 (2006): 155–169. doi. org/10.1352/0895-8017(2006)111[155:MOCSOD]2.0.CO;2
- 87. Sleigh, Henny, Warren Spielberg, and Cody Ragonese. 2021. Masculinities and Male Trauma: Making the Connection. Washington, DC: Equimundo. equimundo.org/wp-content/uploads/2022/06/211029 BLS21375_PRO_MasculineNorms.v06.pdf
- Garcia Moreno, Claudia, and Mark van Ommeren. 2012. Mental Health and Psychosocial Support for Conflict-Related Sexual Violence: Principles and Interventions. Geneva: World Health Organization. <u>iris.</u> <u>who.int/bitstream/handle/10665/75179/WHO_RHR_HRP_12.18_eng.</u> pdf?sequence=1
- Eltanamly, Hend, Patty Leijten, Suzanne Jak, and Geertjan Overbeek. "Parenting in Times of War: A Meta-Analysis and Qualitative Synthesis of War Exposure, Parenting, and Child Adjustment." Trauma, Violence, & Abuse 22, no. 1 (2021): 147–160. doi.org/10.1177/1524838019833001
- Gillespie, Sarah, Jasmine Banegas, Joseph Maxwell, Athena C. Y. Chan, Neveen Ali-Saleh Darawshy, Akash R. Wasil, Scott Marsalis, and Abigail Gewirtz. "Parenting Interventions for Refugees and Forcibly Displaced Families: A Systematic Review." Clinical Child and Family Psychology Review (2022): 1–18. doi.org/10.1007/s10567-021-00375-z
- 91. Ghidei, Winta, Stephanie Montesanti, Lana Wells, and Peter H. Silverstone: "Perspectives on Delivering Safe and Equitable Trauma-Focused Intimate Partner Violence Interventions via Virtual Means: A Qualitative Study during COVID-19 Pandemic." BMC Public Health 22, no. 1 (2022): 1852. doi.org/10.1186/s12889-022-14224-3
- Office of the Surgeon General 2024; Bernard et al. 2018; Eastwood, John, Bin Jalaludin, Lynn Kemp, Hai Phung, Bryanne Barnett, and Jacinta Tobin. "Social Exclusion, Infant Behavior, Social Isolation, and Maternal Expectations Independently Predict Maternal Depressive Symptoms." Brain and Behavior 3, no. 1 (2013): 14–23. doi.org/10.1002/brb3.107
- Fisher et al. 2012; Comrie-Thomson, Liz, Karen Webb, Diana Patel, Precious Wata, Zivanai Kapamurandu, Angela Mushavi, Mary-Ann Nicholas, Paul A. Agius, Jessica Davis, and Stanley Luchters. "Engaging Women and Men in the Gender-Synchronised, Community-Based Mbereko+ Men Intervention to Improve Maternal Mental Health and Perinatal Care-Seeking in Manicaland, Zimbabwe: A Cluster-Randomised Controlled Pragmatic Trial." Journal of Global Health 12 (2022), doi.org/10.7189/jogh.12.04042
- 94. Office of the Surgeon General 2024; Ifcher, John, and Homa Zarghamee. "The Happiness of Single Mothers: Evidence from the General Social Survey." Journal of Happiness Studies 15 (2014): 1219–1238. doi. org/10.1007/s10902-013-9472-5
- Wittkowski, Anja, Sonia Patel, and John R. Fox. "The Experience of Postnatal Depression in Immigrant Mothers Living in Western Countries: A Meta-Synthesis." Clinical Psychology & Psychotherapy 24, no. 2 (2017): 411–427. doi.org/10.1002/cpp.2010
- 96. Office of the Surgeon General 2024
- 97. Sim and England 2019
- 98. Sim and England 2019
- 99. Garcia, Italo Lopez, Lia C. H. Fernald, Frances E. Aboud, Ronald Otieno, Edith Alu, and Jill E. Luoto. "Father Involvement and Early Child

- Development in a Low-Resource Setting." Social Science & Medicine 302 (2022): 114933. doi.org/10.1016/j.socscimed.2022.114933
- 100. Garcia et al. 2022
- 101 Sim and England 2009
- Africa Early Childhood Network. 2024. Compendium of African Initiatives to Support Parents & Caregivers. static1.squarespace.com/static/593d4cce440243665c38b698/t/66d8444206c2a43e341f20f5/1725449291709/2024.08.18+African+Compendium+Summary+DIGIT
- van der Gaag et al. 2023; Jeong, Sullivan, and McCann 2023; Digolo, Lina, Khudejha Asghar, Vashti Berry, Siobhan Mitchell, Lauren Rumble, Clara Alemann, and Lori Heise. 2019. Evidence Review: Parenting and Caregiver Support Programmes to Prevent and Respond to Violence in the Home. Prevention Collaborative. prevention-collaborative.org/ wp-content/uploads/2019/11/Evidence-Review-Parenting-programmeslowres-23112019.pdf; Digolo, Lina, and Annie Holmes. 2022. Evidence Brief: Parenting and Caregiver Support Programmes to Prevent Violence in the Home. Prevention Collaborative. prevention-collaborative.org/ wp-content/uploads/2022/02/Prevention-Collaborative-Parenting-Brief.pdf; Vlahovicova, Kristina, Gerardo J. Melendez-Torres, Patty Leijten, Wendy Knerr, and Frances Gardner. "Parenting Programs for the Prevention of Child Physical Abuse Recurrence: A Systematic Review and Meta-Analysis." Clinical Child and Family Psychology Review 20 (2017): 351–365. doi.org/10.1007/s10567-017-0232-7; Alemann, Clara, Rachel Mehaffey, and Kate Doyle. 2023. Core Elements of Gender-Transformative Fatherhood Programs to Promote Care Equality and Prevent Violence: A Practitioner Guide. Washington, DC: Equimundo. equimundo.org/resources/core-elements-of-gender-transformativefatherhood-programs-to-promote-care-equality-and-prevent-violence/
- 4. Doyle, Kate, Alessandra Guedes, Christine Kolbe-Stuart, Clara Alemann, Lina Digolo, Lori Heise, and Ruti Levtov. 2023. Brief 1: Parenting Programmes to Reduce Violence against Women and Children: Why It Is Important. UNICEF Innocenti. <u>unicef.org/innocenti/media/3456/file/UNICEF-Innocenti-Parenting-Programmes-Reduce-Violence-Against-Children Women-Brief.</u> 1, 2024 FN pdf
- Doyle et al. 2023, Brief 1; Barlow, Jane, Nadja Smailagic, Nick Huband, Verena Roloff, and Cathy Bennett. "Group-Based Parent Training Programmes for Improving Parental Psychosocial Health." Campbell Systematic Reviews 8, no. 1 (2012): 1-197. doi.org/10.4073/csr.2012.15; United Nations Children's Fund (UNICEF). (2023). What Works to Reduce Violence against Children and Women in the Home in Low-and Middle-Income Countries? A Review of Parenting Programmes Informed by Social and Behaviour Change (SBC) Strategies. UNICEF Innocenti-Global Office of Research and Foresight; Desrosiers, Alethea, Indrani Saran, Ariana M. Albanese, Cara M. Antonaccio, Sarah E. Neville, Rebecca Esliker, Musu Jambai, Mahmoud Feika, and Theresa S. Betancourt. "Task-Sharing to Promote Caregiver Mental Health, Positive Parenting Practices, and Violence Prevention in Vulnerable Families in Sierra Leone: A Pilot Feasibility Study." BMC Psychiatry 24, no. 1 (2024): 787. doi.org/10.1186/s12888-024-06209-w; World Health Organization. 2023. WHO Guidelines on Parenting Interventions to Prevent Maltreatment and Enhance Parent-Child Relationships with Children Aged 0-17 Years: Report of the Systematic Reviews of Evidence. Geneva: World Health Organization.
- Bennett, Cathy, Jane Barlow, Nick Huband, Nadja Smailagic, and Verena Roloff. "Group-Based Parenting Programs for Improving Parenting and Psychosocial Functioning: A Systematic Review." Journal of the Society for Social Work and Research 4, no. 4 (2013): 300-332. doi. org/10.5243/jsswr.2013.20; Lachman, Jamie M., Liane Peña Alampay, Rosanne M. Jocson, Cecilia Alinea, Bernadette Madrid, Catherine Ward, Judy Hutchings, Bernice Landoy Mamauag, Maria Ana Victoria Felize V. Garilao, and Frances Gardner. "Effectiveness of a Parenting Programme to Reduce Violence in a Cash Transfer System in the Philippines: RCT with Follow-Up." The Lancet Regional Health-Western Pacific 17 (2021). doi.org/10.1016/j.lanwpc.2021.100279; Lachman, Jamie, Joyce Wamoyi, Mackenzie Martin, Qing Han, Francisco Antonio Calderón Alfaro, Samwel Mgunga, Esther Nydetabura, Nyasha Manjengenja, Mwita Wambura, and Yulia Shenderovich. "Reducing Family and School-Based Violence at Scale: A Large-Scale Pre-Post Study of a Parenting Programme Delivered to Families with Adolescent Girls in Tanzania." BMJ Global Health 9, no. 11 (2024): e015472, doi.org/10.1136/bmigh-2024-015472 Cluver, Lucie D., Franziska Meinck, Janina I. Steinert, Yulia Shenderovich, Jenny Doubt, Rocio Herrero Romero, Carl J. Lombard et al. "Parenting for Lifelong Health: A Pragmatic Cluster Randomised Controlled Trial of a Non-Commercialised Parenting Programme for Adolescents and Their Families in South Africa." BMJ Global Health 3, no. 1 (2018): e000539. doi.org/10.1136/bmjgh-2017-000539; Cluver, Lucie, Franziska Meinck,

Alexa Yakubovich, Jenny Doubt, Alice Redfern, Catherine Ward, Nasteha

Salah et al. "Reducing Child Abuse amongst Adolescents in Low- and

- Middle-Income Countries: A Pre-Post Trial in South Africa." BMC Public Health 16 (2016): 1-11. doi.org/10.1186/s12889-016-3262-z
- Al Sager, Alya, Sherryl H. Goodman, Joshua Jeong, Paul A. Bain, and Marilyn N. Ahun. "Effects of Multi-Component Parenting and Parental Mental Health Interventions on Early Childhood Development and Parent Outcomes: A Systematic Review and Meta-Analysis." The Lancet Child & Adolescent Health 8, no. 9 (2024): 656–669. doi.org/10.1016/S2352-4642(24)00134-2
- og. Chen 2023
- Bugental, Daphne Blunt, Patricia Crane Ellerson, Eta K. Lin, Bonnie Rainey, Anna Kokotovic, and Nathan O'Hara. "A Cognitive Approach to Child Abuse Prevention." Journal of Family Psychology 16, no. 3 (2002): 243. doi.org/10.1037/0893-3200.16.3.243
- 111. Lachman et al. 2021
- Desrosiers et al. 2014
- Al Sager et al. 2024; United Nations Children's Fund (UNICEF) 2023
- Skeen, Sarah, Marguerite Marlow, Stefani du Toit, G. J. Melendez-Torres, Lynette Mudekunye, Edwick Mapalala, Kelvin Ngoma et al. "Using WhatsApp Support Groups to Promote Responsive Caregiving, Caregiver Mental Health and Child Development in the COVID-19 Era: A Randomised Controlled Trial of a Fully Digital Parenting Intervention." Digital Health 9 (2023): 20552076231203893. doi.
- 15. Al Sager et al. 2024
- Jeong, Joshua, Helen O. Pitchik, and Aisha K. Yousafzai. "Stimulation Interventions and Parenting in Low- and Middle-Income Countries: A Meta-Analysis." Pediatrics 141, no. 4 (2018). doi.org/10.1542/peds.2017-3510; Jeong, Joshua, Emily E. Franchett, Clariana V. Ramos de Oliveira, Karima Rehmani, and Aisha K. Yousafzai. "Parenting Interventions to Promote Early Child Development in the First Three Years of Life: A Global Systematic Review and Meta-Analysis." PLOS Medicine 18, no. 5 (2021): e 1003602. doi.org/10.1371/journal.pmed.1003602
- 17. Al Sager et al. 2024
- Ammerman, Robert T., Mekibib Altaye, Frank W. Putnam, Angelique R. Teeters, Yuanshu Zou, and Judith B. Van Ginkel. "Depression Improvement and Parenting in Low-Income Mothers in Home Visiting." Archives of Women's Mental Health 18 (2015): 555–563. doi. org/10.1007/s00737-014-0479-7
- Gillespie et al. 2022
- 120. Gillespie et al. 2022
- Miller, Kenneth E., Gabriela V. Koppenol-Gonzalez, Maguy Arnous, Fadila Tossyeh, Alexandra Chen, Nayla Nahas, and Mark J. D. Jordans. "Supporting Syrian Families Displaced by Armed Conflict: A Pilot Randomized Controlled Trial of the Caregiver Support Intervention." Child Abuse & Neglect 106 (2020): 104512. doi.org/10.1016/j. chiabu.2020.104512
- 122. Gillespie et al. 2022
- Hillis, Susan, Sydney Tucker, Nicole Baldonado, Evgenia Taradaika, Lyudmyla Bryn, Svitlana Kharchenko, Tetiana Machabelii et al. "The Effectiveness of Hope Groups, a Mental Health, Parenting Support, and Violence Prevention Program for Families Affected by the War in Ukraine: Findings from a Pre-Post Study." Journal of Migration and Health 10 (2024): 100251. doi.org/10.1016/j.jmh.2024.100251
- 124. Hillis et al. 2024
- 125. Alemann, Mehaffey, and Doyle 2023; Kimber, Melissa, Sami Adham, Sana Gill, Jill McTavish, and Harriet L. MacMillan. "The Association between Child Exposure to Intimate Partner Violence (IPV) and Perpetration of IPV in Adulthood—A Systematic Review." Child Abuse & Neglect 76 (2018): 273–286. doi.org/10.1016/j.chiabu.2017.11.007
- Alemann, Mehaffey, and Doyle 2023
- 127. Comrie-Thomson et al. 2022
- Doyle, Kate, Alessandra Guedes, Christine Kolbe-Stuart, Clara Alemann, Lina Digolo, Lori Heise, and Ruti Levtov. 2023. Brief 2: Parenting Programmes to Reduce Violence against Women and Children: What Gender-Transformative Programmes Look Like. UNICEF Innocenti. unicef.org/innocenti/media/3461/file/UNICEF-Innocenti-Parenting-Programmes-Reduce-Violence-Children-Women-Brief-2-2024-EN.pdf
- Doyle, Kate, Ruti G. Levtov, Emmanuel Karamage, Deboleena Rakshit, Shamsi Kazimbaya, Felix Sayinzoga, Hassan Sibomana, Silas Ngayaboshya, Fidèle Rutayisire, and Gary Barker. 2023. "Long-Term Impacts of the Bandebereho Programme on Violence against Women and Children, Maternal Health-Seeking, and Couple Relations in Rwanda: A Six-Year Follow-Up of a Randomised Controlled Trial." EClinicalMedicine 64 (2023): 102233. doi.org/10.1016/j.eclinm.2023.102233
- 130. McCann et al. 2024
- Balachander, Manya, Jean de Dieu Hategekimana Ndiyunze, Danielle Roth, Khudejha Asghar, Christine Bourey, and Kathryn L. Falb.
 "Effectiveness of a Family Violence Prevention Program on Mental Health

- Outcomes for Adult Men and Women in North Kivu, Democratic Republic of Congo: Insights from a Pilot Trial." Cambridge Prisms: Global Mental Health 11 (2024): e99. doi.org/10.1017/gmh.2024.98
- Affleck, William, Ann Selvadurai, and Lindsey Sikora.

 "Underrepresentation of Men in Gender Based Humanitarian and Refugee Trauma Research: A Scoping Review." Intervention Journal of Mental Health and Psychosocial Support in Conflict Affected Areas 16, no. 1 (2018): 22–30. doi.org/10.1097/WTF.00000000000000157
- 133. Africa Early Childhood Network 2024
- 134. Office of the Surgeon General 2024
- Mathijs, Louise, Stijn Van Petegem, G. J. Melendez-Torres, Sophia Backhaus, Frances Gardner, and Patty Leijten. "Group-Based Versus Individual Parenting Programs: A Meta-Analysis of Effects on Parents." Journal of Family Psychology (2024). doi.org/10.1037/fam0001273
- Mathijs et al. 2024; Shekelle, Paul G., Isomi M. Miake-Lye, Meron M. Begashaw, Marika S. Booth, Bethany Myers, Nicole Lowery, and William H. Shrank. "Interventions to Reduce Loneliness in Community-Living Older Adults: A Systematic Review and Meta-Analysis." Journal of General Internal Medicine 39, no. 6 (2024): 1015–1028. doi. org/10.1007/s11606-023-08517-5
- 37. Mathijs et al. 2024
- Mathijs et al. 2024; Lanjekar, Purva D., Shiv H. Joshi, Puja D. Lanjekar, and Vasant Wagh. "The Effect of Parenting and the Parent-Child Relationship on a Child's Cognitive Development: A Literature Review." Cureus 14, no. 10 (2022). doi.org/10.7759/cureus.30574; Tehrani, Hossein Dabiriyan, Sara Yamini, and Alexander T. Vazsonyi. "Effects of Parenting Program Components on Parental Stress: A Systematic Review and Component Network Meta-Analysis." Journal of Family Psychology 38, no. 2 (2024): 320. doi.org/10.1037/fam0001161
- 139. Aylward and Williams 2023
- Aylward and Williams 2023; Cruwys, Tegan, Genevieve A. Dingle, Catherine Haslam, S. Alexander Haslam, Jolanda Jetten, and Thomas A. Morton. "Social Group Memberships Protect against Future Depression, Alleviate Depression Symptoms and Prevent Depression Relapse." Social Science & Medicine 98 (2013): 179–186. doi.org/10.1016/j. socscimed.2013.09.013
- Hegarty, Kelsey, and Laura Tarzia. "Identification and Management of Domestic and Sexual Violence in Primary Care in the #MeToo Era: An Update." Current Psychiatry Reports 21 (2019): 1–8. doi.org/10.1007/s11920-019-0991-6; Hackett, Shannon, Paula T. McWhirter, and Susan Lesher. "The Therapeutic Efficacy of Domestic Violence Victim Interventions." Trauma, Violence, & Abuse 17, no. 2 (2016): 123–132. doi.org/10.1177/1524838014566720; Schaefer, Lauren M., Kathryn H. Howell, Hanna C. Sheddan, Taylor R. Napier, Hannah L. Shoemaker, and Laura E. Miller-Graff. "The Road to Resilience: Strength and Coping among Pregnant Women Exposed to Intimate Partner Violence." Journal of Interpersonal Violence 36, no. 17–18 (2021): 8382–8408. doi.org/10.1177/08862861518850538
- Letourneau et al. 2017; Aylward and Williams 2023
- Ericksen, Jennifer, Elizabeth Loughlin, Charlene Holt, Natalie Rose, Eliza Hartley, Melissa Buultjens, Alan W. Gemmill, and Jeannette Milgrom.
 "A Therapeutic Playgroup for Depressed Mothers and Their Infants: Feasibility Study and Pilot Randomized Trial of Community Hugs." Infant Mental Health Journal 39, no. 4 (2018): 396–409. doi.org/10.1002/
- 44. Chen 2023
- Batra, Jackson, and Hamad 2023
- Batra, Jackson, and Hamad 2023
- Lachman et al. 2021; Chaffin, Josh, and Cali Mortenson Ellis. 2015. Outcomes for Children from Household Economic Strengthening Interventions: A Research Synthesis. London: Save the Children. resourcecentre.savethechildren.net/pdf/final_version_outcome_for_children_from_hes_interventions.pdf
- Baranov, Victoria, Lisa Cameron, Diana Contreras Suarez, and Claire Thibout. "Theoretical Underpinnings and Meta-Analysis of the Effects of Cash Transfers on Intimate Partner Violence in Low- and Middle-Income Countries." The Journal of Development Studies 57, no. 1 (2021): 1–25. doi.org/10.1080/00220388.2020.1762859; Buller, Ana Maria, Amber Peterman, Meghna Ranganathan, Alexandra Bleile, Melissa Hidrobo, and Lori Heise. "A Mixed-Method Review of Cash Transfers and Intimate Partner Violence in Low- and Middle-Income Countries." The World Bank Research Observer 33, no. 2 (2018): 218–258. doi.org/10.1093/wbro/lkv002
- Bonilla, Juan, Zlata Bruckauf, Rosa Castro-Zarzur, and Amber Peterman (Eds.). "Evaluation of Mozambique's Child Grant: A Cash and Care Intervention to Reduce Violence against Women and Children," SVRI Forum, Cancun, Mexico, September 22, 2022. slideshare.net/TheTransferProject/evaluation-of-mozambiques-child-grant-a-cash-care-intervention-to-reduce-violence-against-women-children; Jensen,

- Sarah K. G., Matias Placencio-Castro, Shauna M. Murray, Robert T. Brennan, Simo Goshev, Jordan Farrar, Aisha Yousafzai et al. "Effect of a Home-Visiting Parenting Program to Promote Early Childhood Development and Prevent Violence: A Cluster-Randomized Trial in Rwanda." BMJ Global Health 6, no. 1 (2021): e003508.
- Peterman, Amber, and Shalini Roy. 2021. Cash Transfers and Intimate Partner Violence (IPV) in Low- and Middle-Income Settings: A Joint Research Agenda to Inform Policy and Practice. International Food Policy Research Institute. ideas.repec.org/p/fpr/pronote/134445.html; Bacchus, Loraine J., Manuela Colombini, Isabelle Pearson, Anik Gevers, Heidi Stöckl, and Alessandra C. Guedes. "Interventions That Prevent or Respond to Intimate Partner Violence against Women and Violence against Children: A Systematic Review." The Lancet Public Health 9, no. 5 (2024): e326–e338. doi:0rg/10.1016/S2468-2667(24)00048-3
- Betancourt, Theresa S., Sarah K. G. Jensen, Dale A. Barnhart, Robert T. Brennan, Shauna M. Murray, Aisha K. Yousafzai, Jordan Farrar et al. "Promoting Parent-Child Relationships and Preventing Violence via Home-Visiting: A Pre-Post Cluster Randomised Trial among Rwandan Families Linked to Social Protection Programmes." BMC Public Health 20 (2020): 1–11. doi.org/10.1186/s12889-020-08693-7
- Jensen et al. 2021
- 153. Jensen et al. 2021
- 154. Africa Early Childhood Network 2024
- Doyle et al. 2023, Brief 2; Alemann, Mehaffey, and Doyle 2023; Galvin, Lauren, Cristiana K. Verissimo, Ramya Ambikapathi, Nilupa S. Gunaratna, Paula Rudnicka, Amy Sunseri, Joshua Jeong et al. "Effects of Engaging Fathers and Bundling Nutrition and Parenting Interventions on Household Gender Equality and Women's Empowerment in Rural Tanzania: Results from EFFECTS, a Five-Arm Cluster-Randomized Controlled Trial." Social Science & Medicine 324 (2023): 115869. doi. org/10.1016/j.socscimed.2023.115869; Swan, Melanie, and Kate Doyle. 2021. Promoting Men's Engagement in Early Childhood Development: A Programming and Influencing Package. Equimundo and Plan International. plan-international.org/uploads/2021/12/glo-mens_engagement_ecd-io-final-eng-may21.pdf
- Doyle, Kate, Alessandra Guedes, Christine Kolbe-Stuart, Clara Alemann, Lina Digolo, Lori Heise, and Ruti Levtov. 2023. Brief 3: Parenting Programmes to Reduce Violence against Women and Children: How to Adapt Programmes to Address Both Types of Violence. UNICEF Innocenti. unicef.org/innocenti/media/3466/file/Brief-3-Parenting-programmes-to-reduce-violence.pdf
- 77. Pearson et al. 2023
- 158. Doyle et al. 2023, Brief 1